

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,002,744 B2
APPLICATION NO. : 09/804785
DATED : February 21, 2006
INVENTOR(S) : Evans et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 14, line 28, before "What is claimed is:" please insert the following Table:

TABLE 1

<u>Desired Material Attributes</u>				
Lens Material	Lightweight = Low Density (g/cm ³)	THIN - High Refractive Index	Good Optical Quality = High Abbe Number	Safety = High Impact Resistance
Glass	2.2-2.54	1.45-1.7	64-67 (best)	Low, unless thick (heavy)
Lens Material	Lightweight = Low Density (g/cm ³)	THIN - High Refractive Index	Good Optical Quality = High Abbe Number	Safety = High Impact Resistance
PMMA (Acrylic)	1.19	1.491	57	Marginal
CR-39 or Hard Resin	1.32	1.498	58	Marginal
Polycarbonate	1.2	1.586	30-34.5	High
Mid-index Plastics	1.2	1.52-1.56	35-43	Marginal
High Index Plastics	1.3-1.4	1.59-1.67 (best)	32-41	Marginal
Inventors' Modified Polymeric Material	1.11 (best)	1.53	45.5	High

Signed and Sealed this

Twenty-sixth Day of June, 2007



JON W. DUDAS
Director of the United States Patent and Trademark Office